



**IB Silicone Coating – Existing Metal Roof**



Labor Steps	Step 1	Step 2	Step 3	Step 4
	Clean Roof	Rust Treatment	Seam Treatment	Reflective Coat
Product				

SIL-EX-MRP						
Spec #	Step 1	Step 2	Step 3	Step 4	Required Dry Mil Thickness (Silicone)	Warranty Length
	Surface Preparation	Rust Treatment	Seam Treatment	Reflective Coat*		
	IB Roof Cleaner Concentrate (diluted 9:1)	IB Rust Primer	IB Sealer	IB Silicone Coating		
SIL-EX-MRP-5	1 gal/150 sq. ft.	0.5 gal/square	55 Wet Mils	1.25 gal/square	18	5 year
SIL-EX-MRP-10	1 gal/150 sq. ft.	0.5 gal/square	55 Wet Mils	1.5 gal/square	21	10 year
SIL-EX-MRP-12	1 gal/150 sq. ft.	0.5 gal/square	55 Wet Mils	1.75 gal/square	25	12 year
SIL-EX-MRP-15	1 gal/150 sq. ft.	0.5 gal/square	55 Wet Mils	2.0 gal/square	28	15 year

\*Silicone coating may be applied in one (1) or two (2) coats (two passes).

For additional information about IB Roof Systems requirements, recommendations, installation details, approvals and limitations for the above assemblies, please refer to the latest edition of the IB Roof Systems Coating Specifications Manual. For Technical Services please contact us at 800-426-1626.

**Note: Coverage rates may vary due to substrate porosity and/or irregularity of the roof surface.**

Reflective Coating	Colors	Warranties
<input type="checkbox"/> IB Silicone Coating (Reflective Coat)	<input type="checkbox"/> White <input type="checkbox"/> Gray <input type="checkbox"/> Tan	<input type="checkbox"/> Warranty Plus <input type="checkbox"/> Limited Material
Submitted By: Company: Email:		Project Name: Address: